



Client Peptix Canada

Analyzed 08/24/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	NAD+	Form	Lyophilized
Batch	PTX-006	Labeled Qty	1000MG
Mol. Formula	C21H27N7O14P2	CAS Number	53-84-9
Cap Color	Clear	Crimp Color	Gold
Appearance	White Powder (Amber Vial)		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	NAD+	NAD+	✓
Batch Avg Purity (HPLC)	(>98%)	99.40	✓
Net Peptide Content	1000MG ± 10%	1004.98	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · NAD+	DETECTOR: UV 214 NM · 08/24/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-495422
Access Code: SGX-PC-2026-0803-A13

