

Certificate of Analysis

REPORTED September 7, 2026

CLIENT

VERIFY peptidetestcanada.ca/verify

EMAIL info@peptidetestcanada.ca

ORDER # PTC-808524

SCAN TO VERIFY



PTC-3CBHLRGW

Lab ID: **BLD-231**

END CUSTOMER

NAME PeptixCanada website <https://peptixcanada.ca/>

§ 01 Sample Information

FOR RESEARCH PURPOSES ONLY

Sample ID: **BLD-231** Received: **09/01/2026**
 Compound: **GLOW GHK Cu / BPC 157 / TB 500** Analyzed: **09/07/2026**
 Report No.: **COA-2026-SC-02077** Components: **3 peptides**
 Lot Number: **PTX-034** Total Claim: **70.00 mg**
 Total Mass: **130.6 mg** Total Net: **81.76 mg**
 Appearance: **Lyophilized powder**

SAMPLE PHOTOGRAPH



§ 02 Analytical Results

Qualitative and Quantitative chemical analysis by Liquid Chromatography Tandem Mass Spectrometry (HPLC-MS/MS)
 Instrument · Agilent 1290 Infinity II with Agilent 6495 QQQ

PEPTIDE	LABEL CLAIM	NET CONTENT	CHROM. PURITY	FILL ACC.	STATUS
GHK-Cu	50.00 mg	59.42 mg	99.86 %	118.8 %	CONFIRMED
BPC-157	10.00 mg	12.00 mg	99.51 %	120.0 %	CONFIRMED
TB-500	10.00 mg	10.34 mg	99.42 %	103.4 %	CONFIRMED
TOTAL NET CONTENT	70.00 mg	81.76 mg	—	116.8 %	

BLEND COMPOSITION share of total net peptide content




PRECURSOR [M+H]⁺

341.20 Da

Quantifier transition ● MRM

341.20 > 110.10 CE 15 V




Agilent Poroshell 120 EC-C18 · 2.1×100 mm · 2.7 μm · Solvent A: 0.1 % formic acid in H₂O · Solvent B: 0.1 % formic acid in Acetonitrile

PRECURSOR [M+2H]²⁺

710.40 Da

Quantifier transition ● MRM

710.40 > 70.10 CE 22 V




Agilent Poroshell 120 EC-C18 · 2.1×100 mm · 2.7 μm · Solvent A: 0.1 % formic acid in H₂O · Solvent B: 0.1 % formic acid in Acetonitrile

PRECURSOR [M+2H]²⁺

445.30 Da

Quantifier transition ● MRM

445.30 > 241.20 CE 12 V



Agilent Poroshell 120 EC-C18 · 2.1×100 mm · 2.7 μm · Solvent A: 0.1 % formic acid in H₂O · Solvent B: 0.1 % formic acid in Acetonitrile

DISCLAIMER · RESEARCH USE ONLY

Results relate **only to the sample as received** by Side-Chain Analytics Inc. and the tests performed, as and when received — not to any other unit, vial, lot, or batch, and not to any other product bearing the same name, label, or description. This report is not a verification of any lot or batch. **For research use only:** this report is not a certificate of quality, safety, efficacy, or regulatory compliance; the material tested is not authorized by Health Canada for human or veterinary use; and this report is not for human or veterinary administration, clinical or diagnostic use, or label claims. Side-Chain Analytics Inc. does not manufacture, source, or sell the material tested and makes **no warranty, express or implied**; its liability shall not exceed the testing fee. This report may not be reproduced except in full, and may not be reproduced, displayed, quoted, or referenced — in whole or in part, including by any badge, seal, or link — in connection with the advertising, offer for sale, sale, or distribution of any product. This certificate is valid only as currently shown at sidechainanalytics.com/verify and may be withdrawn.